

Lyden Oil Company

Page 1 of 8 -

1

2

PROGUARD SPARKLEEN RPI

SDS Number: 802266

PRODUCT AND COMPANY INFORMATION

Product Name:	PROGUARD SPARKLEEN RPI
Revision Date:	02/26/2016
SDS Number:	802266
Common Name:	Oil and Grease Cleaning Solution
CAS Number:	Blend
Product Code:	802266
Synonyms:	Alkaline Cleaner

Company Identification:

Manufactured for:LYDEN OIL COMPANY3711 LeHarps DriveYoungstown, OH 44515For Product Information:1-330-792-1100For Emergencies:1-800-424-9300CHEMTREC:1-800-424-9300 or 1-703-527-3887

HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Classes/Categories:

Serious eye irritation, Category 2A. Skin irritant, Category 2.



Lyden Oil Company

Page 2 of 8	
0	PROGUARD SPARKLEEN RPI
SDS Number: 802266	
Hazard Statement(s):	
	H319: Causes serious eye irritation.
	H315: Causes skin irritation.
Precaution Statement(s):	
	P101: If medical advice is needed, have product container or label at
	hand.
	P102: Keep out of reach of children.
	P103: Read label before use.
	P280: Wear protective gloves and eye protection.
	P302+352: IF ON SKIN: Wash with plenty of soap and water.
	P332+313: If skin irritation occurs: Get medical advice/attention.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to do – continue
	rinsing.
	P337+313: If eye irritation persists get medical advice/attention.
	P362+364: Take off contaminated clothing and wash it before reuse.
Other Hazard Statement(s):	
<u>_</u>	-NFPA Ratings:
	Health = 1
	Fire = 0
	Reactivity = 0

3

COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Monoethanolamine	141-43-5	<10
Triethanolamine	102-71-6	<5

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.



PROGUARD SPARKLEEN RPI

Lyden Oil Company

SDS Number: 802266

4 FIRST AID MEASURES **Description of First Aid Measures:** Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If the victim has difficulty breathing or tightness of the chest, is dizzy, vomiting or unresponsive, give oxygen with rescue breathing or CPR as required and transport to the nearest medical facility. Skin Contact: Flush skin with water, wash with soap and water. If irritation occurs, get medical attention. Remove contaminated clothing. Do not reuse clothing until cleaned. If material is injected under the skin, transport to the nearest medical facility for additional treatment. If redness, swelling, pain and/or blisters occur, transport to the nearest medical facility for additional treatment. Eye Contact: Flush eyes with running water for at least 15 minutes. If redness, burning, blurred vision or irritation persists, transport to nearest medical facility for additional treatment. Ingestion: Do NOT induce vomiting and obtain medical attention. Have victim rinse mouth out with water. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Symptoms and Effects, both acute and delayed: No further relevent data available. **Recommended Actions:** Treat symptomatically. Call a doctor or poison

control center for guidance.

Page **3** of **8** –



PROGUARD SPARKLEEN RPI

Lyden Oil Company

SDS Number: 802266

Page 4 of 8 -

5 FIRE FIGHTING MEASURES	
Recommended Fire-Extinguishing Equipment:	Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.
Possible Hazards During a Fire:	
	The material as received will not support combustion, however its residues may; therefore, procedures for an oil fire should be followed.
Recommendations to Firefighters:	Proper protective equipment including breathing apparatus.
6 ACCIDENTAL RELEASE MEASU	URES
Personal Precautions:	Avoid contact with skin, eyes, and clothing.
Emergency Procedures:	Contain spilled material, collect in suitable and properly labeled containers.
Environmental Precautions:	Do not allow to reach sewage system or any water course. Do not allow to enter ground waters.
Cleanup Procedures:	

Pick up excess with inert absorbant material.



PROGUARD SPARKLEEN RPI

Lyden Oil Company

SDS Number: 802266

Page 5 of 8 -

7	HANDLING AND STORAGE	
Handling Precaut	ions:	
		Handle with care and avoid spillage on the floor. Do not cut, weld, drill, grind, braze, or solder container.
Storage Requiren	nents:	Keep container tightly sealed. Keep away from sources of ignition.
8	EXPOSURE CONTROLS / PERSON	IAL PROTECTION
Exposure Limits: Engineering Cont	-141-43-5 Monoethanolamin ACGIH TWA – 3ppm -102-71-6 Triethanolamine (< ACGIH TWA – 5mg/m ³ <u>rols:</u>	<5%) All ventilation should be designed in accordance
		with OSHA standard (29 CFR 1910.94).
<u>Personal Protecti</u>	<u>ve Equipment:</u>	Keep away from foodstuffs, beverages, and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Use safety glasses and gloves.
9	PHYSICAL AND CHEMICAL PROP	ERTIES

PHYSICAL AND CHEMICAL PROPERTIES

Color: **Physical State:** **Light Straw** Liquid



Lyden Oil Company

SDS Number: 802266

Page 6 of 8 -

Odor:	Characteristic
Odor Threshold:	Data not available
pH:	9.0-10.2 (at 10%)
Melting Point:	Data not available
Boiling Point:	>212° F
Boiling Range:	Data not available
Flash Point:	Data not available
Evaporation Rate:	<1
Flammability:	Data not available
Flammability Limits:	Data not available
Vapor Pressure:	Data not available
Vapor Density:	Data not available
Relative Density:	1.009
Solubilities:	Soluble in water
Partition Coefficient:	Data not available
Auto-Ignition Temperature:	Data not available
Decomposition Temperature:	Data not available
Viscosity:	Data not available

10 STABILITY AND REACTIVITY

<u>Stability:</u>	Stable under normal conditions.
Reactivity:	Not reactive under normal conditions.
<u>Conditions to Avoid:</u>	Extreme temperature, sparks, open flame, and direct sunlight.
Hazardous Reactions:	No known hazardous reactions.
Incompatible Materials:	Strong oxidizers and strong reducing agents.
Decomposition Products:	Oxides of carbon, nitrogren, and hydrogen.

PROGUARD SPARKLEEN RPI



PROGUARD SPARKLEEN RPI

Lyden Oil Company

SDS Number: 802266

11 TOXICOLOGICAL INFORMATION	N
Routes of Exposure:	
	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Exposure Effects:	This mixture can cause irritation to skin and irritation, redness to the eyes.
Measures of Toxicity:	No test data available.
Carcinogenic/Mutagenic Precautions:	Non-carcinogenic and not expected to be mutagentic.
12 ECOLOGICAL INFORMATION	
Ecological Precautions:	Avoid exposing to the environment.
Ecological Effects: No specific environmental	or aquatic data available.
13 DISPOSAL CONSIDERATIONS	
Disposal Methods:	Dispose of waste material in accordance with all local, state, and federal requirements.
Disposal Containers:	Use properly approved container for disposal.
Special Precautions:	Do not flush to surface waters or drains.

Page **7** of **8** –



Lyden Oil Company

SDS Number: 802266

Page 8 of 8 -

PROGL	JARD	SPAI	RKL	EEN	RPI

14	TRANSPORT	INFORMATION	
<u>UN Number:</u>		Data not available	
UN Shipping Na	<u>me:</u>	Detergents, Soaps	
Transport Hazar	d Class:	Data not available	
Packing Group:		Data not available	
Environmental H	<u>łazards:</u>		Data not available
Bulk Transport C	<u>Buidance:</u>		Data not available
Special Precaution	ons:		Not regulated by DOT.

15 REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

16 OTHER INFORMATION

Last Revision Date: 02/26/2016

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. LYDEN OIL COMPANY assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the LYDEN OIL COMPANY.