

Lyden Oil Company

Page **1** of **8** –

1

2

PROGUARD SPARSOL HD

SDS Number: 803141

PRODUCT AND COMPANY INFORMATION

Product Name:	PROGUARD SPARSOL HD
Revision Date:	03/14/2016
SDS Number:	803141
Common Name:	Soluble Oil
CAS Number:	Blend
Product Code:	803141
Synonyms:	Machining and Grinding Soluble Oil

Company Identification:

Manufactured for:LYDEN OIL COMPANY3711 LeHarps DriveYoungstown, OH 44515For Product Information:1-330-792-1100For Emergencies:1-800-424-9300CHEMTREC:1-800-424-9300 or 1-703-527-3887

HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Classes/Categories:

Serious eye irritation, Category 2A. Skin irritant, Category 2.



Page **2** of **8** ———

Safety Data Sheet

Lyden Oil Company

Page 2 01 8	PROGUARD SPARSOL HD
SDS Number: 803141	
Hazard Statement(s):	
	H319: Causes serious eye irritation.
	H315: Causes skin irritation.
Precaution Statement(s):	
	P101: If medical advice is needed, have product container or label at
	hand.
	P102: Keep out of reach of children.
	P103: Read label before use.
	P280: Wear protective gloves and eye protection.
	P302+352: IF ON SKIN: Wash with plenty of soap and water.
	P332+313: If skin irritation occurs: Get medical advice/attention.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to do – continue rinsing.
	P337+313: If eye irritation persists get medical advice/attention.
	P362+364: Take off contaminated clothing and wash it before reuse.
Other Hazard Statement(s):	
<u></u>	-NFPA Ratings:
	Health = 1
	Fire = 1
	Reactivity = 0

3

COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Distillates (petroleum), hydrotreated naphthenic	64742-53-6	15-35
Triethanolamine	102-71-6	<10

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.



Lyden Oil Company

SDS Number: 803141

Page **3** of **8** ——

4 FIF	RST AID MEASURES
Description of First	Aid Measures:
Inhalation:	
	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If the victim has difficulty breathing or tightness of the chest, is dizzy, vomiting or unresponsive, give oxygen with rescue breathing or CPR as required and transport to the nearest medical facility.
Skin Contac	t:
	Flush skin with water, wash with soap and water. If irritation occurs, get medical attention. Remove contaminated clothing. Do not reuse clothing until cleaned. If material is injected under the skin, transport to the nearest medical facility for additional treatment. If redness, swelling, pain and/or blisters occur, transport to the nearest medical facility for additional treatment.
Eye Contact	:
	Flush eyes with running water for at least 15 minutes. If redness, burning, blurred vision or irritation persists, transport to nearest medical facility for additional treatment.
Ingestion:	
, , , , , , , , , , , , , , , , , , ,	Do NOT induce vomiting and obtain medical attention. Have victim rinse mouth out with water. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
Symptoms and Effect	<u>cts, both acute and delayed:</u> No further relevent data available.
Recommended Action	ons:
	Treat symptomatically. Call a doctor or poison control center for guidance.



PROGUARD SPARSOL HD

Lyden Oil Company

SDS Number: 803141

Page **4** of **8** –

5 FIRE FIGHTING MEASURES	
Recommended Fire-Extinguishing Equipment:	Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.
Possible Hazards During a Fire:	The material as received will not support combustion, however its residues may; therefore, procedures for an oil fire should be followed.
<u>Recommendations to Firefighters:</u>	Proper protective equipment including breathing apparatus.
6 ACCIDENTAL RELEASE MEASU	RES
6 ACCIDENTAL RELEASE MEASU Personal Precautions:	RES Avoid contact with skin, eyes, and clothing.
Personal Precautions:	Avoid contact with skin, eyes, and clothing. Contain spilled material, collect in suitable and



PROGUARD SPARSOL HD

Lyden Oil Company

SDS Number: 803141

Page 5 of 8 -

7	HANDLING AND STORAGE	
Handling Precau	tions:	
		Handle with care and avoid spillage on the floor. Do not cut, weld, drill, grind, braze, or solder container.
Storage Require	<u>ments:</u>	Keep container tightly sealed. Keep away from sources of ignition.
8	EXPOSURE CONTROLS / PERSON	NAL PROTECTION
Exposure Limits	-Distillates (petroleum), hyd OSHA TWA – 5mg/m³ (oil mi	
	-102-71-6 Triethanolamine:	
	ACGIH TWA – 5mg/m ³	
Engineering Cor	<u>trols:</u>	All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).
Personal Protect	ive Equipment:	
		Keep away from foodstuffs, beverages, and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Use safety glasses and gloves.
9	PHYSICAL AND CHEMICAL PROP	PERTIES

Color: Physical State: Amber Liquid



PROGUARD SPARSOL HD

Lyden Oil Company

SDS Number: 803141

Page 6 of 8 -

Odor: Odor Threshold: pH: Melting Point: Boiling Point: Boiling Range: Flash Point: Evaporation Rate: Flammability: Flammability Limits: Vapor Pressure: Vapor Pressure: Vapor Density: Relative Density: Solubilities: Partition Coefficient:	Characteristic Data not available 9.5 (at 10%) Data not available >500° F Data not available 320° F <1 Data not available Data not available Data not available Data not available Oata not available Data not available Data not available
Decomposition Temperature: Viscosity:	Data not available 250-400 mm ² /sec (kinematic at 40° C)

10 STABILITY AND REACTIVITY

<u>Stability:</u>	Stable under normal conditions.
Reactivity:	Not reactive under normal conditions.
<u>Conditions to Avoid:</u>	Extreme temperature, sparks, open flame, and direct sunlight.
Hazardous Reactions:	No known hazardous reactions.
Incompatible Materials:	Strong oxidizers and strong reducing agents.
Decomposition Products:	Oxides of carbon, nitrogen, sulhur, hydrogen chloride, and hydrogen.



PROGUARD SPARSOL HD

Lyden Oil Company

SDS Number: 803141

Page **7** of **8** –

11 TOXICOLOGICAL INFORMATIO	Ν
Routes of Exposure:	
	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Exposure Effects:	
	This mixture can cause irritation to skin and irritation, redness to the eyes.
Measures of Toxicity:	No test data available.
Carcinogenic/Mutagenic Precautions:	
	Non-carcinogenic and not expected to be mutagentic.
12 ECOLOGICAL INFORMATION	
Ecological Precautions:	Avoid exposing to the environment.
Ecological Effects: No specific environmental	or aquatic data available.
13 DISPOSAL CONSIDERATIONS	
Disposal Methods:	
	Dispose of waste material in accordance with all local, state, and federal requirements.
Disposal Containers:	Use properly approved container for disposal.
Special Precautions:	Do not flush to surface waters or drains.



PROGUARD SPARSOL HD

Lyden Oil Company

SDS Number: 803141

Page 8 of 8 -

14 TRANSPORT INFORMATION UN Number: Data not available **UN Shipping Name:** Data not available Transport Hazard Class: Data not available Packing Group: Data not available **Environmental Hazards:** Data not available **Bulk Transport Guidance:** Data not available **Special Precautions:** Not regulated by DOT.

15 REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

	16 OTHER INFORMATION
--	----------------------

Last Revision Date: 03/14/2016

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. LYDEN OIL COMPANY assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the LYDEN OIL COMPANY.