

Lyden Oil Company

Page **1** of **7** –

1

### PROGUARD AW 100 Hydraulic Fluid

SDS Number: 18007

#### PRODUCT AND COMPANY INFORMATION

Product Name:	PROGUARD AW 100 Hydraulic Fluid
Revision Date:	08/03/2015
SDS Number:	18007
Common Name:	Hydrotreated Heavy Paraffinic Oil
CAS Number:	Blend
Product Code:	18007
<u>Synonyms:</u>	Antiwear Hydraulic Fluid

#### **Company Identification:**

Manufactured for: LYDEN OIL COMPANY 3711 LeHarps Road Youngstown, OH 44515

For Product Information:	1-330-792-1100
For Emergencies:	1-800-424-9300
CHEMTREC:	1-800-424-9300 or 1-703-527-3887

#### 2 HAZARDS IDENTIFICATION

Signal Word:	None
Hazard Classes/Categories:	None
Hazard Statement(s):	None
Precaution Statement(s):	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use.



Lyden Oil Company

Page 2 of 7 —

### **PROGUARD AW 100 Hydraulic Fluid**

SDS Number: 18007

Other Hazard Statement(s):

Repeated exposure may cause skin dryness or cracking.

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	> 74
Residual oils, petroleum, solvent dewaxed	64742-62-7	25
Additives	Proprietary	< 1

\*Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4 FIRST AID MEASURES
----------------------

#### **Description of First Aid Measures:**

Inhalation:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
Skin Contact:	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
Eye Contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult medical attention.
Ingestion:	Rinse mouth with water. If symptoms develop, obtain medical attention.



Lyden Oil Company

SDS Number: 18007

Page **3** of **7** –

### PROGUARD AW 100 Hydraulic Fluid

Symptoms and Effects, both acute and delayed:	No further relevent data available.
Recommended Actions:	
	Treat symptomatically. Call a doctor or poison control center for guidance.
5 FIRE FIGHTING MEASURES	
Recommended Fire-Extinguishing Equipment:	Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.
Possible Hazards During a Fire:	
	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.
<u>Recommendations to Firefighters:</u>	Proper protective equipment including breathing apparatus.
6 ACCIDENTAL RELEASE MEASU	RES
Personal Precautions:	
	Avoid contact with skin, eyes, and clothing. Keep away from sources of ignition.
Emergency Procedures:	Contain spilled material, collect in suitable and properly labled containers.



Page 4 of 7 —

# Safety Data Sheet

Lyden Oil Company

		PROGUARD AW 100 Hydraulic Flu
SDS Number: 1	8007	- -
Environmental	Precautions:	
		Do not allow to reach sewage system or any water
		course. Do not allow to enter ground waters.
Cleanup Proced	lures:	
		Pick up excess with inert absorbant material.
7	HANDLING AND STORAGE	
Handling Preca	utions:	
<u></u>		Handle with care and avoid spillage on the floor.
		Do not cut, weld, drill, grind, braze, or solder container.
Storage Require	ements:	
		Keep container tightly sealed. Keep away from sources of ignition.
8	EXPOSURE CONTROLS / PERS	SONAL PROTECTION
Exposure Limits	<u>s:</u> No data available.	
Engineering Co	ntrols	
		All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).
Personal Protec	ctive Equipment:	
reisonarriotee		Wash hands before breaks and at the end of work. Use safety glasses and gloves.
<u> </u>		
9	PHYSICAL AND CHEMICAL PR	OPERIJES

Color: Physical State: Odor: Amber Liquid Slight Hydrocarbon



Lyden Oil Company

Page **5** of **7** ———

### **PROGUARD AW 100 Hydraulic Fluid**

#### SDS Number: 18007

Odor Threshold:	Data not available
pH:	Data not available
Melting Point:	Data not available
Boiling Point:	Data not available
Boiling Range:	Data not available
Flash Point:	176.7° C / 350.1° F (PMCC Method)
Evaporation Rate:	Data not available
Flammability:	Data not available
Flammability Limits:	Data not available
Vapor Pressure:	Data not available
Vapor Density:	Data not available
Relative Density:	Data not available
Solubilities:	Negligible in water
Partition Coefficient:	Data not available
Auto-Ignition Temperature:	Data not available
Decomposition Temperature:	Data not available
Viscosity:	100 mm <sup>2</sup> /sec (kinematic at 40° C)

# 10 STABILITY AND REACTIVITY Stability: Stable under normal conditions.

direct sunlight.

**Reactivity:** 

Conditions to Avoid:

Hazardous Reactions:

Incompatible Materials:

**Decomposition Products:** 

Hazardous decomposition products are not expected to form.

No further relevant information available.

Not reactive under normal conditions.

No known hazardous reactions.

Extreme temperature, sparks, open flame, and



**PROGUARD AW 100 Hydraulic Fluid** 

Lyden Oil Company

SDS Number: 18007

Page 6 of 7 -

### 11 TOXICOLOGICAL INFORMATION Routes of Exposure: Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion. **Exposure Effects:** Repeated skin contact may cause dermatitis or an oil acne. Measures of Toxicity: Acute oral, dermal, and inhalation toxicity: low toxicity. Carcinogenic/Mutagenic Precautions: Non-carcinogenic and not expected to be mutagentic. 12 ECOLOGICAL INFORMATION **Ecological Precautions:** Avoid exposing to the environment. **Ecological Effects:** No specific environmental or aquatic data available. 13 **DISPOSAL CONSIDERATIONS Disposal Methods:** Dispose of waste material in accordance with all local, state, and federal requirements. **Disposal Containers:** Use properly approved container for disposal. **Special Precautions:** Do not flush to surface waters or drains.



Lyden Oil Company

Page **7** of **7** –

### PROGUARD AW 100 Hydraulic Fluid

SDS Number: 18007

14	TRANSPORT INFORM	ATION
<u>UN Number:</u>		available
UN Shipping Nai	<u>ne:</u> Data no	available
<u>Transport Hazar</u>	<u>d Class:</u> Data no	available
Packing Group:	Data no	available
Environmental H	lazards:	
		Data not available
Bulk Transport C	<u>iuidance:</u>	
		Data not available
Special Precauti	ons:	
		Not regulated by DOT.

### 15 REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

	16 OTHER INFORMATION	
--	----------------------	--

Last Revision Date: 08/03/2015

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. LYDEN OIL COMPANY assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the LYDEN OIL COMPANY.