

Lyden Oil Company

Page **1** of **7** —

1

PROGUARD SPARKUT HP

SDS Number: 809242

PRODUCT AND COMPANY INFORMATION

PROGUARD SPARKUT HP
09/24/2015
809242
Hydrotreated heavy naphthenic oil
Blend
809242
Machining, grinding, and cutting lubricant

Company Identification:

<i>Manufactured for:</i> LYDEN OIL COMPANY 3711 LeHarps Road Youngstown, OH 44515	
For Product Information:	1-330-792-1100
For Emergencies:	1-800-424-9300
CHEMTREC:	1-800-424-9300 or 1-703-527-3887

2 HAZARDS IDENTIFICATION

Signal Word:	None
Hazard Classes/Categories:	None
Hazard Statement(s):	None
Precaution Statement(s):	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use.



Lyden Oil Company

Page 2 of 7 –

PROGUARD SPARKUT HP

SDS Number: 809242

Other Hazard Statement(s):

-NFPA Ratings: Health = 1 Fire = 1 Reactivity = 0

Repeated exposure may cause skin dryness or cracking.

3

COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>90

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4	FIRST AID MEASURES
	·

Description of First Aid Measures:

Inhalation:	If symptoms develop, move victim to fresh air and keep in a position comfortable for breathing. If symptoms persist, obtain medical attention.
Skin Contact:	Wash with soap and water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.
Eye Contact:	Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult medical attention.
Ingestion:	Rinse mouth with water. If symptoms develop, obtain medical attention.



Symptoms and Effects, both acute and delayed:

Safety Data Sheet

PROGUARD SPARKUT HP

Lyden Oil Company

SDS Number: 809242

Page 3 of 7 —

No further relevent data available.	

Recommended Actions:

Treat symptomatically. Call a doctor or poison control center for guidance.

5 FIRE FIGHTING MEASURES **Recommended Fire-Extinguishing Equipment:** Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters. Possible Hazards During a Fire: Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. **Recommendations to Firefighters:** No special measures required. 6 ACCIDENTAL RELEASE MEASURES **Personal Precautions:** Avoid contact with skin, eyes, and clothing. Keep away from sources of ignition. **Emergency Procedures:** Contain spilled material, collect in suitable and properly labled containers.



Lyden Oil Company

Page 4 of 7			
-		PROGUARD SPARKUT H	ΙP
SDS Number: 80	9242		
Environmental F	Precautions:		
		Do not allow to reach sewage system or any water course.	
		Do not allow to enter ground waters.	
Cleanup Proced	ures:		
		Pick up excess with inert absorbant material.	
7	HANDLING AND STORAGE		
Handling Precau	tions:		
		Handle with care and avoid spillage on the floor. Do not cut, weld, drill, grind, braze, or solder	
		container.	
Storage Require	ments:		
		Keep container tightly sealed.	
		Keep away from sources of ignition.	
8	EXPOSURE CONTROLS / PERSO	NAL PROTECTION	
Exposure Limits:		oleum), hydrotreated heavy naphthenic (>90%):	
	ACGIH TLV – Short-term val	ue: 10mg/m ³	
	Long-term value: 5mg/m ³		
	OSHA PEL – Long-term value	e: 5mg/m³	
Engineering Con	trols:		
		All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).	
Personal Protect	ive Equipment:		
		Wash hands before breaks and at the end of work. Use safety glasses and gloves.	



Lyden Oil Company

SDS Number: 809242

Page 5 of 7 –

9

PROGUARD SPARKUT HP

Color:	Amber
Physical State:	Liquid
Odor:	Characteristic
Odor Threshold:	Data not available
pH:	Data not available
Melting Point:	Data not available
Boiling Point:	>500° F
Boiling Range:	Data not available
Flash Point:	460° F
Evaporation Rate:	<1 (where Butyl Acetate - 1)
Flammability:	Data not available
Flammability Limits:	Data not available
Vapor Pressure:	Data not available
Vapor Density:	Data not available
Relative Density:	0.8921
Solubilities:	Insoluble in water
Partition Coefficient:	Data not available
Auto-Ignition Temperature:	Data not available
Decomposition Temperature:	Data not available
Viscosity:	26 mm²/sec (kinematic at 40° C)

PHYSICAL AND CHEMICAL PROPERTIES

10	STABILITY AND REACTIVITY	
<u>Stability:</u>		Stable under normal conditions.
<u>Reactivity:</u>		Not reactive under normal conditions.
Conditions to Av		Extreme temperature, sparks, open flame, and direct sunlight.
<u>Hazardous Reac</u>	tions:	No known hazardous reactions.
Incompatible Ma	aterials:	Strong oxidizers and strong reducing agents.



PROGUARD SPARKUT HP

Lyden Oil Company

SDS Number: 809242

Page 6 of 7 —

Decomposition Products:

Oxides of carbon, hydrogen, and hydrogen chloride.

11 TOXICOLOGICAL INFORMATION		
Routes of Exposure:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.	
Exposure Effects:	Repeated skin contact may cause dermatitis or an oil acne.	
Measures of Toxicity:	No test data available.	
Carcinogenic/Mutagenic Precautions:	Non-carcinogenic and not expected to be mutagentic.	
12 ECOLOGICAL INFORMATION		
Ecological Precautions:	Avoid exposing to the environment.	

Ecological Effects:

No specific environmental or aquatic data available.

13 DISPOSAL CONSIDERATIONS

Disposal Methods:

Dispose of waste material in accordance with all local, state, and federal requirements.

Disposal Containers:

Use properly approved container for disposal.



Lyden Oil Company

Page **7** of **7** —

PROGUARD SPARKUT HP

SDS Number: 809242

Special Precautions:

Do not flush to surface waters or drains.

14	TRANSPORT INFORMATION		
<u>UN Number:</u> <u>UN Shipping Nai</u> <u>Transport Hazar</u> <u>Packing Group:</u>		Data not available Lubricating Oil, N.O Data not available Data not available	.S.
Environmental H	lazards:		Data not available
Bulk Transport C	<u>Guidance:</u>		Data not available
Special Precaution	ons:		Not regulated by DOT.

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

16 OTHER INFORMATION

Last Revision Date: 09/24/2015

15

REGULATORY INFORMATION

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. LYDEN OIL COMPANY assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the LYDEN OIL COMPANY.