

Lyden Oil Company

Page **1** of **8** —

1

2

PROGUARD SPARDRAW 3030RP-50

SDS Number: 809281

PRODUCT AND COMPANY INFORMATION

Product Name:	PROGUARD SPARDRAW 3030RP-50
Revision Date:	09/28/2015
SDS Number:	809281
Common Name:	Hydrotreated naphthenic oil
CAS Number:	Blend
Product Code:	809281
Synonyms:	Petroleum based drawing and stamping fluid

Company Identification:

Manufactured for:
LYDEN OIL COMPANY
3711 LeHarps Road
Youngstown, OH 445151-330-792-1100
1-800-424-9300For Product Information:
For Emergencies:
CHEMTREC:1-800-424-9300 or 1-703-527-3887

HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Classes/Categories:

Serious eye irritation, Category 2A. Skin irritant, Category 2.



Lyden Oil Company

Page 2 of 8	
	PROGUARD SPARDRAW 3030RP-50
SDS Number: 809281	
Hazard Statement(s):	
	H319: Causes serious eye irritation.
	H315: Causes skin irritation.
Precaution Statement(s):	
	P101: If medical advice is needed, have product container or label at
	hand.
	P102: Keep out of reach of children.
	P103: Read label before use.
	P280: Wear protective gloves and eye protection.
	P302+352: IF ON SKIN: Wash with plenty of soap and water.
	P332+313: If skin irritation occurs: Get medical advice/attention.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to do – continue
	rinsing.
	P337+313: If eye irritation persists get medical advice/attention.
	P362+364: Take off contaminated clothing and wash it before reuse.
Other Hazard Statement(s):	
<u>other Hazara otatement(o).</u>	-NFPA Ratings:
	Health = 1
	Fire = 1
	Reactivity = 0

3

COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	<10
Triethanolamine	102-71-6	<1

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.



Lyden Oil Company

Page 3 of 8 -

PROGUARD SPARDRAW 3030RP-50

SDS Number: 809281

4	FIRST AID MEA	SURES
Description of Fi	irst Aid Moasuros	
Description of F	irst Aid Measures:	<u>.</u>
Inhalatio	on:	
		If symptoms develop, move victim to fresh air and keep in a position comfortable for breathing. If symptoms persist, obtain medical attention.
Skin Cor	ntact:	
		Flush skin with water, wash with soap and water. Remove contaminated clothing. Do not reuse clothing until cleaned. If material is injected under the skin, transport to the nearest medical facility for additional treatment.
Eye Con	tact:	
		Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult medical attention.
Ingestio	n:	Rinse mouth with water. If symptoms develop, obtain medical attention.
Symptoms and F	Effects, both acute	a and delayed.
<u>Symptoms and t</u>		No further relevent data available.
Recommended A	Actions [.]	
Recommended	<u></u>	Treat symptomatically. Call a doctor or poison control center for guidance.
5	FIRE FIGHTING	MEASURES
	L	
Recommended	Fire-Extinguishing	Equipment:

Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.



PROGUARD SPARDRAW 3030RP-50

Lyden Oil Company

SDS Number: 809281

Page 4 of 8 -

Possible Hazards During a Fire:

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.

Recommendations to Firefighters:

Proper protective equipment including breathing apparatus.

6	ACCIDENTAL RELEASE MEASURE	S
Personal Precau	tions:	Avoid contact with skin, eyes, and clothing. Avoid
		breathing vapors. Keep away from sources of ignition.
Emergency Proc	edures:	Contain spilled material, collect in suitable and properly labled containers.
Environmental F	Precautions:	
		Do not allow to reach sewage system or any water course.
		Do not allow to enter ground waters.
Cleanup Proced	ures:	
		Pick up excess with inert absorbant material if released on the ground. Suppress vapors using water fog if released to the air. Notify all downstream users of possible contamination if released to waters. Treat contaminated absorbent same as spilled product.



PROGUARD SPARDRAW 3030RP-50

Lyden Oil Company

SDS Number: 809281

Page 5 of 8 -

HANDLING AND STORAGE Handling Precautions: Handle with care and avoid spillage on the floor. Do not cut, weld, drill, grind, braze, or solder container. Storage Requirements: Keep container tightly sealed. Keep away from sources of ignition. 8 **EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure Limits:** -64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic (<10%): OSHA TWA - 5mg/m³ -102-71-6 Triethanolamine (<1%): ACGIH TLV – 5mg/m³ **Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Personal Protective Equipment: Wash hands before breaks and at the end of work. Use safety glasses and gloves. 9 PHYSICAL AND CHEMICAL PROPERTIES Off-white Color: **Physical State:** Liquid Odor: Characteristic Odor Threshold:

pH: Melting Point: **Boiling Point:**

Data not available 9.60 Data not available >500° F



PROGUARD SPARDRAW 3030RP-50

Lyden Oil Company

SDS Number: 809281

Page 6 of 8 -

Boiling Range:	Dat
Flash Point:	No
Evaporation Rate:	<1
Flammability:	Dat
Flammability Limits:	Dat
Vapor Pressure:	Dat
Vapor Density:	Dat
Relative Density:	0.9
Solubilities:	Со
Partition Coefficient:	Dat
Auto-Ignition Temperature:	Dat
Decomposition Temperature:	Dat
Viscosity:	<15

Data not available None <1 (where Butyl Acetate - 1) Data not available Data not available Data not available Data not available 0.9944 Completely soluble in water Data not available Data not available Sata not available Cata not available

STABILITY AND REACTIVITY 10 Stability: Stable under normal conditions. **Reactivity:** Not reactive under normal conditions. Conditions to Avoid: Extreme temperature, sparks, open flame, and direct sunlight. Hazardous Reactions: No known hazardous reactions. Incompatible Materials: Strong oxidizers and strong reducing agents. **Decomposition Products:** Oxides of carbon, nitrogen, sulfur, hydrogen, and hydrogen chloride.



PROGUARD SPARDRAW 3030RP-50

Lyden Oil Company

SDS Number: 809281

Page **7** of **8** –

<u></u>	
11 TOXICOLOGICAL INFORMATIO	DN
Routes of Exposure:	
	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Exposure Effects:	Repeated skin contact may cause dermatitis or an oil acne.
Measures of Toxicity:	No test data available.
Carcinogenic/Mutagenic Precautions:	Non-carcinogenic and not expected to be mutagentic.
12 ECOLOGICAL INFORMATION	
Ecological Precautions:	Avoid exposing to the environment.
Ecological Effects: No specific environmenta	al or aquatic data available.
13 DISPOSAL CONSIDERATIONS	
Disposal Methods:	Dispose of waste material in accordance with all local, state, and federal requirements.
Disposal Containers:	Use properly approved container for disposal.
Special Precautions:	Do not flush to surface waters or drains.



Lyden Oil Company

Page **8** of **8** –

PROGUARD SPARDRAW 3030RP-50

SDS Number: 809281

14	TRANSPORT I	NFORMATION
UN Number: UN Shipping Nar Transport Hazar Packing Group:	<u>ne:</u> d Class:	Data not available Lubricating Oil, N.O.S. Data not available Data not available
Environmental F	lazards:	Data not available
Bulk Transport G	iuidance:	Data not available
Special Precaution	ons:	Not regulated by DOT.

15 REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

	16 OTHER INFORMATION	
--	----------------------	--

Last Revision Date: 09/28/2015

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. LYDEN OIL COMPANY assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the LYDEN OIL COMPANY.