

Lyden Oil Company

Page **1** of **8** —

1

2

PROGUARD SPARDRAW 3030RP-70

SDS Number: 809282

PRODUCT AND COMPANY INFORMATION

Product Name:	PROGUARD SPARDRAW 3030RP-70
Revision Date:	09/28/2015
SDS Number:	809282
Common Name:	Hydrotreated naphthenic oil
CAS Number:	Blend
Product Code:	809282
Synonyms:	Petroleum based drawing and stamping fluid

Company Identification:

Manufactured for:
LYDEN OIL COMPANY
3711 LeHarps Road
Youngstown, OH 44515I-330-792-1100
1-800-424-9300For Product Information:
For Emergencies:
CHEMTREC:1-800-424-9300 or 1-703-527-3887

HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Classes/Categories:

Serious eye irritation, Category 2A. Skin irritant, Category 2.



Lyden Oil Company

Page 2 of 8	, , ,
	PROGUARD SPARDRAW 3030RP-70
SDS Number: 809282	
Hazard Statement(s):	
<u>Hazara Statement(s).</u>	H319: Causes serious eye irritation.
	H315: Causes skin irritation.
Precaution Statement(s):	
	P101: If medical advice is needed, have product container or label at
	hand.
	P102: Keep out of reach of children.
	P103: Read label before use.
	P280: Wear protective gloves and eye protection.
	P302+352: IF ON SKIN: Wash with plenty of soap and water.
	P332+313: If skin irritation occurs: Get medical advice/attention.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to do – continue
	rinsing.
	P337+313: If eye irritation persists get medical advice/attention.
	P362+364: Take off contaminated clothing and wash it before reuse.
Other Hazard Statement(s):	
	-NFPA Ratings:
	Health = 1
	Fire = 1
	Reactivity = 0

3

COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	<10
Triethanolamine	102-71-6	<1

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.



Lyden Oil Company

٦

Page 3 of 8 -

PROGUARD SPARDRAW 3030RP-70

SDS Number: 809282

4 FIRST AID MEA	SURES
Description of First Aid Measures	
Inhalation:	
	If symptoms develop, move victim to fresh air and keep in a position comfortable for breathing. If symptoms persist, obtain medical attention.
Skin Contact:	
	Flush skin with water, wash with soap and water. Remove contaminated clothing. Do not reuse clothing until cleaned. If material is injected under the skin, transport to the nearest medical facility for additional treatment.
Eye Contact:	
	Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult medical attention.
Ingestion:	Rinse mouth with water. If symptoms develop, obtain medical attention.
Symptoms and Effects, both acut	
	No further relevent data available.
Recommended Actions:	
	Treat symptomatically. Call a doctor or poison control center for guidance.
5 FIRE FIGHTING	MEASURES
December and ad Fire Futie sublished	
Recommended Fire-Extinguishing	<u>, Equipment:</u>

Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.



Page 4 of 8 -

Safety Data Sheet

PROGUARD SPARDRAW 3030RP-70

Lyden Oil Company

SDS Number: 809282 Possible Hazards During a Fire: Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. Recommendations to Firefighters: Proper protective equipment including breathing apparatus.

6 ACCIDENTAL RELEASE MEASU	RES
Personal Precautions:	
	Avoid contact with skin, eyes, and clothing. Avoid
	breathing vapors.
	Keep away from sources of ignition.
Emergency Procedures:	
	Contain spilled material, collect in suitable and
	properly labled containers.
Environmental Precautions:	
	Do not allow to reach sewage system or any water
	course. Do not allow to enter ground waters.
	Do not allow to enter ground waters.
Cleanup Procedures:	
	Pick up excess with inert absorbant material if
	released on the ground. Suppress vapors using water fog if released to the air. Notify all
	downstream users of possible contamination if
	released to waters. Treat contaminated absorbent
	same as spilled product.



PROGUARD SPARDRAW 3030RP-70

Lyden Oil Company

SDS Number: 809282

Page 5 of 8 -

HANDLING AND STORAGE Handling Precautions: Handle with care and avoid spillage on the floor. Do not cut, weld, drill, grind, braze, or solder container. Storage Requirements: Keep container tightly sealed. Keep away from sources of ignition. 8 **EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure Limits:** -64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic (<10%): OSHA TWA - 5mg/m³ -102-71-6 Triethanolamine (<1%): ACGIH TLV – 5mg/m³ **Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Personal Protective Equipment: Wash hands before breaks and at the end of work. Use safety glasses and gloves. 9 PHYSICAL AND CHEMICAL PROPERTIES Off-white Color: **Physical State: Opaque liquid** Odor: Characteristic

Odor Threshold: pH: Melting Point: Boiling Point: Off-white Opaque liquid Characteristic Data not available 9.70 Data not available >500° F



PROGUARD SPARDRAW 3030RP-70

Lyden Oil Company

SDS Number: 809282

Page 6 of 8 -

Boiling Range: Flash Point:
Evaporation Rate:
Flammability:
Flammability Limits:
Vapor Pressure:
Vapor Density:
Relative Density:
Solubilities:
Partition Coefficient:
Auto-Ignition Temperature:
Decomposition Temperature:
Viscosity:

Data not available None <1 (where Butyl Acetate - 1) Data not available Data not available Data not available Data not available 0.9922 Completely soluble in water Data not available Data not available Sata not available Ata not available Sata not available

10	STABILITY AND REACTIVITY	
<u>Stability:</u>		Stable under normal conditions.
<u>Reactivity:</u>		Not reactive under normal conditions.
<u>Conditions to Av</u>	<u>void:</u>	Extreme temperature, sparks, open flame, and direct sunlight.
<u>Hazardous Reac</u>	<u>tions:</u>	No known hazardous reactions.
Incompatible M	aterials:	Strong oxidizers and strong reducing agents.
<u>Decomposition</u>	<u>Products:</u>	Oxides of carbon, nitrogen, sulfur, hydrogen, and hydrogen chloride.



PROGUARD SPARDRAW 3030RP-70

Lyden Oil Company

SDS Number: 809282

Page **7** of **8** –

555 Number: 005202	
11 TOXICOLOGICAL INFORMATION	N
	V
Routes of Exposure:	
	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Exposure Effects:	
	Repeated skin contact may cause dermatitis or an oil acne.
Measures of Toxicity:	
	No test data available.
Carcinogenic/Mutagenic Precautions:	Non-carcinogenic and not expected to be mutagentic.
12 ECOLOGICAL INFORMATION	
Ecological Precautions:	Avoid exposing to the environment.
Ecological Effects: No specific environmental	or aquatic data available.
13 DISPOSAL CONSIDERATIONS	
<u>Disposal Methods:</u>	Dispose of waste material in accordance with all local, state, and federal requirements.
Disposal Containers:	Use properly approved container for disposal.
Special Precautions:	Do not flush to surface waters or drains.



Lyden Oil Company

Page **8** of **8** –

PROGUARD SPARDRAW 3030RP-70

SDS Number: 809282

14	TRANSPORT IN	IFORMATION
UN Number:		Data not available
UN Shipping Nar Transport Hazar	d Class: D	ubricating Oil, N.O.S. Data not available
Packing Group:	_	Data not available
Environmental H	lazards:	Data not available
Bulk Transport G	iuidance:	Data not available
Special Precaution	ons:	Not regulated by DOT.

15 REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

16 OTHER INFORMATION	
----------------------	--

Last Revision Date: 09/28/2015

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. LYDEN OIL COMPANY assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the LYDEN OIL COMPANY.