

Lyden Oil Company

Page 1 of 8 -

PROGUARD RS-100

SDS Number: 901151

PRODUCT AND COMPANY INFORMATION

Product Name: PROGUARD RS-100

<u>Revision Date:</u> 01/15/2016 <u>SDS Number:</u> 901151

<u>Common Name:</u> Water Based Detergent

<u>CAS Number:</u> Blend <u>Product Code:</u> 901151

Synonyms: Detergent, cleaner

Company Identification:

Manufactured for: LYDEN OIL COMPANY 3711 LeHarps Road Youngstown, OH 44515

For Product Information: 1-330-792-1100 For Emergencies: 1-800-424-9300

CHEMTREC: 1-800-424-9300 or 1-703-527-3887

2 HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Classes/Categories:

Skin irritant, Category 2.
Serious eye irritation, Category 2A.
Acute toxicity, Oral category 4.
Carcinogen, Category 2.



Lyden Oil Company

Page 2 of 8 -

PROGUARD RS-100

SDS Number: 901151

Hazard Statement(s):

H302: Harmful if swallowed. H316: Causes mild skin irritation. H319: Causes serious eye irritation. H351: Suspected of causing cancer.

Precaution Statement(s):

P101: If medical advice is needed, have product container or label at

hand.

P102: Keep out of reach of children.

P103: Read label before use.

P262: Do not get in eyes, on skin, or on clothing. P280: Wear protective gloves/protective clothing.

P270: Do not eat, drink or smoke when using this product.

P302+352: IF ON SKIN: Wash with plenty of water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

insing.

P337+313: If eye irritation persists get medical advice/attention.

Other Hazard Statement(s):

-NFPA Ratings: Health = 2

Fire = 0

Reactivity = 0

3

COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Coconut Diethanolamide	68603-42-9	<15
Isopropyl Alcohol	67-63-0	1-5
Diethanolamide	111-42-2	1-5

^{*}Any concentration shown as a range is to protect confidentiality or is due to batch variation.



Lyden Oil Company

Page **3** of **8** —

PROGUARD RS-100

SDS Number: 901151

4 FIRST AID MEASURES

Description of First Aid Measures:

Inhalation:

If symptoms develop, move victim to fresh air and keep in a position comfortable for breathing. If symptoms persist, obtain medical

attention.

Skin Contact:

Wash with soap and water. Remove contaminated clothing and wash

before reuse. Get medical attention if needed.

Eye Contact:

Rinse opened eye for at least 15 minutes under running water. If

symptoms persist, consult medical attention.

Ingestion:

Rinse mouth with water and drink plenty of water to dilute. Do NOT induce vomiting. If symptoms develop, obtain medical attention.

Symptoms and Effects, both acute and delayed:

No further relevent data available.

Recommended Actions:

Treat symptomatically. Call a doctor or poison

control center for guidance.

5 FIRE FIGHTING MEASURES

Recommended Fire-Extinguishing Equipment:

Use dry powder, foam, or carbon dioxide fire

extinguishers. Do NOT use water jet.

Possible Hazards During a Fire:

None known.



Lyden Oil Company

Page 4 of 8 —

PROGUARD RS-100

SDS Number: 901151

Recommendations to Firefighters:

This product will not burn. Treat area as for surrounding fire. Wear self-contained breathing apparatus pressure demand and full protective

gear.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid eye contact. Avoid repeated or prolonged

skin contact.

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing.

Emergency Procedures:

Contain spilled material, collect in suitable and

properly labeled containers.

Environmental Precautions:

Do not allow to reach sewage system or any water

course.

Do not allow to enter ground waters.

Cleanup Procedures:

Absorb with liquid-binding material (sand,

diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

HANDLING AND STORAGE

Handling Precautions:

Handle with care and avoid spillage on the floor.

Storage Requirements:

Keep container tightly sealed and stored in a dry,

cool place.



Lyden Oil Company

Page **5** of **8** -

PROGUARD RS-100

SDS Number: 901151

EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

-111-42-2 Diethanolamide (1-5%):

ACGIH TWA: 1 mg/m³ NIOSH TWA: 15 mg/m³

-67-63-0 Isopropanol (1-5%):

OSHA PEL TWA: 500 ppm

Engineering Controls:

All ventilation should be designed in accordance

with OSHA standard (29 CFR 1910.94).

Personal Protective Equipment:

Keep away from foodstuffs, beverages, and feed. Immediately remove all soiled and contaminated

clothing.

Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin. Use safety glasses and gloves.

9 PHYSICAL AND CHEMICAL PROPERTIES

Color: Light Yellow Physical State: Liquid Odor: Alcohol like

Odor Threshold: Data not available

pH: 7 to 9 Melting Point: $<32^{\circ} \text{ F}$ Boiling Point: $>212^{\circ} \text{ F}$

Boiling Range: Data not available

Flash Point: >180° F

Evaporation Rate:

Flammability:

Flammability Limits:

Vapor Pressure:

Data not available

Data not available

Data not available



Lyden Oil Company

Page **6** of **8** -

PROGUARD RS-100

SDS Number: 901151

Vapor Density: Data not available

Relative Density: 1.00-1.02

Solubilities: Completely miscible in water

Partition Coefficient:

Auto-Ignition Temperature:

Decomposition Temperature:

Diata not available

Data not available

Data not available

Data not available

Data not available

10 STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Reactivity:

Not reactive under normal conditions.

Conditions to Avoid:

None known.

Hazardous Reactions:

No known hazardous reactions.

Incompatible Materials:

Strong oxidizers, acids, and bases.

Decomposition Products:

Hazardous decomposition products are not

expected to form.

11 TOXICOLOGICAL INFORMATION

Routes of Exposure:

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.



Lyden Oil Company

Page **7** of **8** –

PROGUARD RS-100

SDS Number: 901151

Exposure Effects:

Skin:

Prolonged or repeated contact with strong forms may remove natural oils leading to dryness or rash.

Eye:

Produces serious but temporary eye irritation.

Ingestion:

May be harmful to mucous membranes, mouth,

throat and stomach.

Inhalation:

Concentrated mists may cause discomfort.

Measures of Toxicity:

No test data available.

Carcinogenic/Mutagenic Precautions:

Diethanolamide: Carcinogenic category 2B (IARC).

12

ECOLOGICAL INFORMATION

Ecological Precautions:

Avoid exposing to the environment.

Ecological Effects:

No specific environmental or aquatic data available.

13

DISPOSAL CONSIDERATIONS

Disposal Methods:

Dispose of waste material in accordance with all

local, state, and federal requirements.

Disposal Containers:

Use properly approved container for disposal.

Special Precautions:

Do not flush to surface waters or drains. Hish levels of surfactants and increased pH levels are harmful

to aquatic life.



Lyden Oil Company

Page 8 of 8 -

PROGUARD RS-100

SDS Number: 901151

14 TRANSPORT INFORMATION

UN Number:Data not availableUN Shipping Name:Data not availableTransport Hazard Class:Data not availablePacking Group:Data not available

Environmental Hazards:

Data not available

Bulk Transport Guidance:

Data not available

Special Precautions:

Not regulated by DOT.

15 REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

16 OTHER INFORMATION

Last Revision Date: 01/15/2016

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. LYDEN OIL COMPANY assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the LYDEN OIL COMPANY.