

Lyden Oil Company

Page 1 of 9 -

PROGUARD MeritCut Micro EP

SDS Number: N/A

PRODUCT AND COMPANY INFORMATION

Product Name: PROGUARD MeritCut Micro EP

Revision Date: 03/15/2018

SDS Number: N/A

<u>Common Name:</u> Metalworking Coolant

CAS Number: Blend
Product Code: N/A
Synonyms: N/A

Company Identification:

Manufactured for: LYDEN OIL COMPANY 3711 LeHarps Drive Youngstown, OH 44515

For Product Information: 1-330-792-1100 For Emergencies: 1-800-424-9300

CHEMTREC: 1-800-424-9300 or 1-703-527-3887

2 HAZARDS IDENTIFICATION



Signal Word: DANGER

Hazard Classes/Categories:

Skin corrosive, Category 1C.
Serious eye damage, Category 1.
Skin sensitizer, Category 1.



Lyden Oil Company

Page 2 of 9 -

PROGUARD MeritCut Micro EP

SDS Number: N/A

Hazard Statement(s):

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

Precaution Statement(s):

P101: If medical advice is needed, have product container or label at

hand.

P102: Keep out of reach of children.

P103: Read label before use.

P260: Do not breathe dust/fume/gas/mist/vapors/spray.

P264: Wash thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the

workplace.

P280: Wear protective gloves/ protective clothing/ eye protection.

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P302 + P352: IF ON SKIN, wash with soap and water.

P303+P361+P353: IF ON SKIN (Or hair): Remove/Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P333 + P313: If skin irritation or rash occurs, get medical

advice/attention.

P363: Wash contaminated clothing before reuse.

Other Hazard Statement(s):

-NFPA Ratings:

Health = 2

Fire = 0

Reactivity = 0



Lyden Oil Company

Page 3 of 9 -

PROGUARD MeritCut Micro EP

SDS Number: N/A

COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Butylaminoethanol	111-75-1	Proprietary
1,2-Benzisothiazolin-3-one	2634-33-5	Proprietary
Triethanolamine	102-71-6	Proprietary
Base oil	64742-52-5	Proprietary

^{*}Any concentration shown as a range is to protect confidentiality or is due to batch variation.

FIRST AID MEASURES

Description of First Aid Measures:

Inhalation:

Move to fresh air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek medical attention. If not breathing give artificial respiration and seek

immediate medical attention.

Skin Contact:

Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Thoroughly wash with soap and water. Seek medical attention if irritation

develops or persists.

Eye Contact:

Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek immediate medical attention.

Ingestion:

Rinse mouth with water. Do not induce vomiting. Seek medical

attention if symptoms develop.



Lyden Oil Company

Page 4 of 9 -

PROGUARD MeritCut Micro EP

SDS Number: N/A

Symptoms and Effects, both acute and delayed:

No further relevent data available.

Recommended Actions:

Treat symptomatically. Call a doctor or poison

control center for guidance.

5 FIRE FIGHTING MEASURES

Recommended Fire-Extinguishing Equipment:

Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

Possible Hazards During a Fire:

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.

Recommendations to Firefighters:

Proper protective equipment including breathing

apparatus.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid eye contact. Avoid repeated or prolonged

skin contact.

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing.

Emergency Procedures:

Contain spilled material, collect in suitable and

properly labeled containers.



Lyden Oil Company

Page **5** of **9** —

PROGUARD MeritCut Micro EP

SDS Number: N/A

Environmental Precautions:

Do not allow to reach sewage system or any water

course.

Do not allow to enter ground waters.

Cleanup Procedures:

Absorb with liquid-binding material (sand,

diatomite, acid binders, universal binders, sawdust).

7 HANDLING AND STORAGE

Handling Precautions:

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

Storage Requirements:

Keep container tightly sealed and stored in a dry,

cool place.

Keep away from sources of ignition.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

-Base Oil:

ACGIH TLV - 5mg/m³ (oil mist)

-102-71-6 Triethanolamine:

ACGIH TLV – 5mg/m³

Engineering Controls:

All ventilation should be designed in accordance

with OSHA standard (29 CFR 1910.94).



Lyden Oil Company

Page **6** of **9** -

9

PROGUARD MeritCut Micro EP

SDS Number: N/A

Personal Protective Equipment:

Keep away from foodstuffs, beverages, and feed. Immediately remove all soiled and contaminated clothing.

Journing.

Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin. Use safety glasses and gloves.

PHYSICAL AND CHEMICAL PROPERTIES

Color: Amber
Physical State: Liquid
Odor: Slight

Odor Threshold: Data not available pH: 9.4 (at 5% in water) Data not available **Melting Point: Boiling Point:** 109° C / 228° F **Boiling Range:** Data not available Flash Point: Data not available **Evaporation Rate:** Data not available Flammability: Data not available Flammability Limits: Data not available Vapor Pressure: Data not available Vapor Density: Data not available

Relative Density: 1.01

Solubilities: Soluble in water
Partition Coefficient: Data not available
Auto-Ignition Temperature: Data not available
Decomposition Temperature: Data not available
Viscosity: Data not available

10 STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Reactivity:

Not reactive under normal conditions.



Lyden Oil Company

Page **7** of **9** —

PROGUARD MeritCut Micro EP

SDS Number: N/A

Conditions to Avoid:

Extreme temperature, sparks, open flame, and

direct sunlight.

Hazardous Reactions:

No known hazardous reactions.

Incompatible Materials:

No further relevant information available.

Decomposition Products:

Oxides of carbon, chlorine, and nitrogen.

11

TOXICOLOGICAL INFORMATION

Routes of Exposure:

Skin and eye contact are the primary routes of exposure although exposure may occur following

accidental ingestion.

Exposure Effects:

Inhalation: Inhalation of vapors or mist can be

irritating to respiratory passages.

Skin: Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Eyes: Causes severe skin burns and eye damage.

Causes serious eye damage.

Oral: None known.

Measures of Toxicity:

No test data available.

Carcinogenic/Mutagenic Precautions:

Non-carcinogenic and not expected to be

mutagentic.



Lyden Oil Company

Page 8 of 9 -

PROGUARD MeritCut Micro EP

SDS Number: N/A

12 ECOLOGICAL INFORMATION

Ecological Precautions:

Avoid exposing to the environment.

Ecological Effects:

No specific environmental or aquatic data available.

13 DISPOSAL CONSIDERATIONS

Disposal Methods:

Dispose of waste material in accordance with all

local, state, and federal requirements.

Disposal Containers:

Use properly approved container for disposal.

Special Precautions:

Do not flush to surface waters or drains.

14 TRANSPORT INFORMATION

UN Number:Data not availableUN Shipping Name:Data not availableTransport Hazard Class:Data not availablePacking Group:Data not available

Environmental Hazards:

Data not available

Bulk Transport Guidance:

Data not available

Special Precautions:

Not regulated by DOT.



Lyden Oil Company

Page **9** of **9** -

PROGUARD MeritCut Micro EP

SDS Number: N/A

15

REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

16

OTHER INFORMATION

Last Revision Date: 03/15/2018

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. LYDEN OIL COMPANY assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the LYDEN OIL COMPANY.